



FKSZ2.E488158 Drivers for Light-emitting-diode Arrays, Modules and Controllers - Component

If you notice a change to your FKSZ2 Listing Card, click [here](#) to learn more.

[Page Bottom](#)

Drivers for Light-emitting-diode Arrays, Modules and Controllers - Component

See General Information for Drivers for Light-emitting-diode Arrays, Modules and Controllers - Component

MINGFIRST POWER INDUSTRIAL CO LTD

E488158

One Part Of FI 1


Bldg A FI 2 Bldg B No 16

6th Str Muhejing Gangkou Town

Zhongshan, Guangdong 528447 CHINA

Model. No.	Supply Conn. Method	Input					Output					Env. Loc.	Type HL	Type TL	Tref max (°C)	Meas. Tref (°C)
		Volts (V)	Freq (Hz)	Power (W)	Amps (A)	Type	Volts (V)	Freq (Hz)	Power (W)	Amps (A)	Type [a]					
MIPS10XXYC-COZZZ1 Where XX is replaced by a 2 digit number from 09 to 21 denoting output power; ZZZ is replaced by a 3 digit number ranging from 300 to 700 denoting output current(mA).																
	Leads	100-132Vac	60	25	0.35	Non-isolated	18-42Vdc	-	21	300-700	CC, Class 2	Damp	-	-	-	-

[a] Identifies if the product itself has isolation between input and output based on the requirements of the standard. Output type (Non-isolated, Isolated, Class 2, LED Class 2) is designated based on the requirements that have been applied.

Marking: Company name, model designation and the Recognized Component Mark, .

[Last Updated](#) on 2017-03-24

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".